



Indaver Rivenhall Integrated Waste  
Management Facility

## Rivenhall IWMF Development Consent Order

# Statement of Community Consultation

28 June 2023

Leading the field in  
sustainable waste  
management.

# Contents

---

Glossary	1
1 Overview	2
2 Context	4
3 What we are proposing	6
4 How, who and when we will consult	8
5 Next steps	14
6 Contact details	15
References	16
<b>Figure 1 – Local Community Consultation Zone</b>	<b>10</b>
<b>Table 1 – Locations where hard copies of the consultation material will be available</b>	<b>11</b>
<b>Table 2 - Potential community event venues</b>	<b>12</b>

Document date	Version
07 February 2023	Issued to Essex County Council and Braintree District Council for informal consultation
21 March 2023	Issued to Essex County Council and Braintree District Council for formal consultation
13 March 2023	Updated following advice from ECC
14 April 2023	Updated following advice from BDC
15 May 2023	Updates to public event
23 May 2023	Updates made to the locations where hard copies will be stored through the consultation period.
14 June 2023	Updates made to terminology following technical engineering advice.
24 June 2023	Update to reflect grant of ESS/34/15/BTE/NMA5.
28 June 2023	Final version

# Glossary

---

Term	Abbreviation
Development Consent Order	DCO
Energy from waste	EfW
Environmental Impact Assessment	EIA
Environmental Statement	ES
Integrated Waste Management Facility	IWMF
Local Planning Authority	LPA
Megawatts electricity	MW
National Policy Statement	NPS
Nationally Significant Infrastructure Project	NSIP
Planning Act 2008	PA2008
Planning Inspectorate	PINS
Preliminary Environmental Information	PEI
Statement of Community Consultation	SoCC
Town and Country Planning Act 1990	TCPA

# 1 Overview

---

## About this Statement of Community Consultation

- 1.1 This Statement of Community Consultation ('SoCC' or 'this Statement') sets out how Indaver Rivenhall Limited (hereafter referred to as 'Indaver') will consult and receive feedback from local communities on its proposals to extend the generation capacity of its Integrated Waste Management Facility ('IWMF') at the former Rivenhall Airfield, Coggeshall Road, Kelvedon, Essex ('the Site'). For the purposes of this Statement, references to 'the local community' are intended to encompass the range of private, commercial, local, political and non-statutory stakeholders that exist in the area surrounding the Site.
- 1.2 This SoCC has been prepared pursuant to section 47(1) of the Planning Act 2008 (as amended) and regulation 12 of the Infrastructure Planning (Environmental Impact Assessment) Regulations 2017, in support of a Development Consent Order ('DCO') application.
- 1.3 This SoCC sets out the following:
  - a non-technical overview of the Proposed Development;
  - how, with whom and when the local community consultation will take place; and
  - next steps.

## What is the consultation on?

- 1.4 The IWMF first received planning permission through the TCPA in 2010 ('the 2010 planning permission').<sup>1</sup> The 2010 planning permission was subsequently amended in 2016 ('the 2016 planning permission') (LPA reference ESS/34/15/BTE<sup>2</sup>), which now constitutes the operative planning permission ('the IWMF Planning Permission').<sup>3</sup>
- 1.5 Construction of the IWMF began in 2021 and is programmed to finish in 2025, at which point the IWMF will play an important role in helping to sustainably manage waste in the region.
- 1.6 The IWMF includes an energy-from-waste ('EfW') plant in which a steam-powered generator produces electricity that will be fed into the local distribution network. The IWMF Planning Permission caps the amount of electricity the generator can produce at 49.9MW. Indaver is

---

<sup>1</sup> LPA reference ESS/37/08/BTE; Planning Inspectorate reference APP/Z1585/V/09/2104804.

<sup>2</sup> At the time of writing this planning permission has been non-materially amended by permission references: ESS/4/15/BTE/NMA1 (granted 30 September 2021); ESS/34/15/BTE/NMA2 (granted 13 January 2022); ESS/34/15/BTE/NMA3 (granted 30 August 2022); and ESS/34/15/BTE/NMA4 (granted 13 April 2023); ESS/34/15/BTE/NMA5 (granted 31/05/2023); and ESS/34/15/BTE/NMA6 (granted 07/06/2023).

<sup>3</sup> An application was submitted under section 73 of the Town and Country Planning Act 1990 (as amended) to vary condition 68 of the IWMF Planning Permission. The application reference is ESS/02/22/BTE. This is at the time of writing pending determination by Essex County Council. Should this application be approved, it would supersede the 2016 planning permission as the operative permission.

seeking permission to carry out an engineering operation that would allow the EfW plant to generate more than 50MW ('the Proposed Development'). No additional throughput of fuel – in this case residual waste – is needed to achieve this uplift. Increasing the energy capacity of the plant in this way constitutes an 'extension' of the generating station.

- 1.7 The Planning Act 2008 states that generating stations with a capacity of over 50MW constitute a Nationally Significant Infrastructure Project ('NSIP'). A DCO is required to deliver a NSIP, so Indaver is preparing a DCO application for the proposed extension of the generating capacity of the EfW plant within the IWMF.
- 1.8 Indaver is seeking views from the local community on the Proposed Development to inform the DCO application.

### **Approach to consultation**

- 1.9 The consultation comprises two stages: Stage 1 includes non-statutory engagement with key stakeholders to help formulate the proposals from an early stage; and Stage 2 will constitute the statutory consultation that will be carried out in accordance with the requirements of the Planning Act 2008 and the associated regulations. Feedback from both these stages will be detailed in the Consultation Report that will be submitted as part of the DCO application.

### **Who is Indaver?**

- 1.10 Indaver offers necessary, sustainable waste management solutions in the UK and across Europe. Their ambition is to assist companies and public authorities to retain and further improve their (sustainable) performance by supporting and continuously improving their waste management systems. They do so whilst seeking to achieve a minimum impact on society, complying with the strictest environmental standards, and maximising the recovery of energy and materials from waste streams.

## 2 Context

---

### UK government policy

- 2.1 By its nature of increasing capacity above 50MW, the extension of the generating capacity of the EfW plant will constitute a NSIP. The Secretary of State has adopted policies in relation to NSIPs in a series of National Policy Statements ('NPS'), the following of which are applicable to the Proposed Development:
- Overarching National Policy Statement for Energy (NPS EN-1); and
  - National Policy Statement for Renewable Energy Infrastructure (NPS EN-3).
- 2.2 Collectively, these NPSs establish that there is an urgent need for new electricity generating capacity. NPS EN-3 states that waste combustion and the recovery of energy from this process plays an important role in the waste management strategies of England and Wales. The residual waste that goes to the combustion facility would otherwise go to landfill. This process is in accordance with the waste hierarchy that is set out at Section 12(1) of The Waste (England and Wales) Regulations 2011.

### The planning process for generating stations

- 2.3 The IWFMF includes an EfW plant that generates electricity from the incineration of residual waste. For this reason, the IWFMF is considered a 'generating station' in infrastructure planning terms. Section 15(2)(c) of the Planning Act 2008 states that the extension of a generating station constitutes a NSIP if its energy capacity is more than 50MW. Section 31 of the same Act requires a DCO to be made to allow the development of a NSIP. Indaver will submit an application for a DCO to be made.
- 2.4 The Planning Inspectorate ('PINS'), acting as the examining authority on behalf of the Secretary of State for Energy Security and Net Zero, will examine the application and make a recommendation to the Secretary of State who will make the final decision. Useful guidance on the DCO process is provided on the PINS website here: <https://infrastructure.planninginspectorate.gov.uk/%20application-process/the-process/>

### The consultation process

- 2.5 The Planning Act 2008 requires developers to: (i) consult with the local community, local authorities, statutory bodies and persons with an interest in land affected by the proposals; and (ii) publicise the proposals more widely. This process is referred to as 'pre-application consultation' and must be carried out before the DCO application can be accepted by PINS for examination.
- 2.6 A robust pre-application consultation is extremely important to helping formulate proposals that mitigate potential impacts and maximise potential benefits.

2.7 Section 47 of the Planning Act 2008 requires Applicants to prepare a SoCC that sets out how it intends to consult the local community and seek feedback on this from the local authorities. The consultation must then be undertaken in accordance with the published SoCC.

### **Community consultation approach**

2.8 Indaver will ensure that consultation is open, honest, and designed to allow feedback to be received from as broad a range of the local community as possible. The consultation material will set out the background to the Proposed Development and a description of the Proposed Development itself, plus its likely environmental effects, in a way that is easy to understand. In setting out the background, the consultation material will make clear those elements and effects that are not expected to change as a result of the Proposed Development. This will help define those effects that are expected to change and on which feedback will be sought.

2.9 The DCO process seeks to front load as much of the community engagement as possible. Local communities can, however, continue to engage after the DCO application has been formally submitted to PINS. Once accepted, Indaver is required to publicise the application under Section 56 of the PA2008, at which point anyone with an interest in the project can register to become an 'Interested Party'. This allows those individuals or groups to take part in the public examination of the application.

## 3 What we are proposing

---

### Background

- 3.1 The IWMF Planning Permission allows the IWMF to generate electricity through the incineration of residual waste in a process known as Energy from Waste. The heat produced by this incineration is used to heat water in a boiler to produce high-pressure steam. The steam is then fed via a steam inlet control valve to a turbine generator, which produces electricity. Once the steam has passed through the turbine, it is cooled and condensed back to water and recirculated into the boiler. Steam not sent to the turbine is sent directly to the condenser via a bypass valve.
- 3.2 The IWMF Planning Permission allows the EfW plant to generate up to 49.9MW of electricity in this way. The electricity produced is then used to power the facility itself, and the left over electricity is fed back into the local distribution network to power local homes and businesses.

### The Proposed Development

- 3.3 Since planning permission was first granted, technology has advanced such that it is now possible to generate more electricity from the EfW plant without having to increase the throughput of residual waste. This is because modern boilers can recover more of the energy and produce steam at higher pressures and temperatures, making the whole plant more efficient than was previously possible. To ensure that the plant operates in accordance with the IWMF Planning Permission, the plant includes inlet control valves that regulate the flow of steam to the turbine.
- 3.4 Indaver is seeking permission to carry out an engineering operation to allow the IWMF's EfW plant to generate more than 50MW of electrical energy by modifying the steam inlet control valves ('the Proposed Development').
- 3.5 Allowing the plant to generate more electricity in this way does not require any additional fuel (in this case, residual waste). As such there are no associated increases in vehicle movements delivering waste to the Site and no changes in emissions are expected compared to the IWMF Planning Permission. There would also be no change to the external appearance of the IWMF compared to the IWMF Planning Permission. The additional electricity that is not used onsite would be exported to the local distribution network in the same way as is currently planned for the Facility, via underground cabling that connects to the sub-station near Galleys Corner, south east of Braintree.<sup>4</sup>
- 3.6 The environmental effects of allowing the IWMF to operate at full efficiency are primarily beneficial. Generating a greater amount of electricity from reliable, sustainable sources means

---

<sup>4</sup> For clarity, this underground cabling does not form part of the planning permission for the facility and is being delivered under the permitted development rights and by National Grid in their role as the statutory undertaker.



there is less reliance on fossil fuels for the country's energy needs. This has clear benefits to tackling climate change and global warming.

- 3.7 The implementation of the new plant will happen in parallel with the existing construction programme and it is not expected that there will be any change to the existing construction duration (expected to complete in 2025).
- 3.8 Indaver will agree any changes to, or new permits and/or licences and consents that may be required; some of which would be subject to their own consultation by the relevant regulator.

## EIA development

- 3.9 The extension of a generating station is classified under Schedule 1 of the Infrastructure Planning (Environmental Impact Assessment) Regulations 2017 ('the 2017 Regulations') as 'EIA Development'. Indaver will carry out an EIA ('Environmental Impact Assessment') of the Proposed Development, which will assess the likely environmental effects of it and present the findings within an Environmental Statement ('ES'). The ES will include a non-technical summary.
- 3.10 The scope of the EIA will be based on the Planning Inspectorate's 'Scoping Opinion', which will be available to view at [Rivenhall IWMF and Energy Centre | National Infrastructure Planning \(planninginspectorate.gov.uk\)](https://www.planninginspectorate.gov.uk/riverhall-iwmf-and-energy-centre/)

## Preliminary environmental information

- 3.11 The 2017 Regulations also require an applicant for EIA development to consult on Preliminary Environmental Information ('PEI').
- 3.12 The Stage 1 (non-statutory) engagement will present the vision and emerging proposals to help us shape our statutory consultation. This will include a description of the Proposed Development and an outline of the likely key effects that it would have on the local area. It will also include a description of the existing baseline environmental conditions (i.e. the IWMF Planning Permission (the facility that can generate up to 49.9MW)).
- 3.13 The Stage Two (statutory) consultation (and any further stages of consultation) will include a PEI report, including an indication of likely impacts that could arise from our proposals and any necessary mitigation. The information provided will likely include, but not be limited to, information on the main environmental issues such as: noise, and climate change and greenhouse gas emissions. The PEI report will include a non-technical summary to ensure that the information can be understood by a broad audience.
- 3.14 The PEI report will enable stakeholders (including the local community) to develop an informed view of the likely significant environmental effects of the development.

## 4 How, who and when we will consult

---

4.1 Our consultation with the local community will take place in two stages: Stage One will comprise non-statutory engagement; and Stage Two will constitute the statutory consultation we carry out with the local community. Further information on each stage is provided below.

### Stage One – Non-statutory engagement

4.2 Indaver has an established Site Liaison Group to inform and engage with local stakeholders about the ongoing construction of the IWMF. The Site Liaison Group members comprise representatives of the local community and other stakeholders, including Braintree District Council and County Councillors, Parish Council members, planning officers and representatives of the Environment Agency.

4.3 The purpose of the Site Liaison Group is focused on the IWMF under the existing IWMF Planning Permission. The intention is to use this forum to also discuss details relevant to the Proposed Development. Indeed, this has already occurred in October 2021 and December 2021 and more recently in November 2022 and March 2023, outlining the energy generation extension being considered. In the December 2021 meeting, Indaver informed the group that it was drafting the SoCC and asked for input on the consultation process, in particular any suggestions concerning:

- the most useful venues for making consultation documents available for people to view, in addition to the project's website and the Council offices; and
- any 'hard-to-reach' groups in the local community who might benefit from particular outreach and who might not see newspaper notices or have access to the project's website.

4.4 Two suggestions were made: using Kelvedon Library as a consultation document deposit location, and placing a consultation notice at Oak Stores (village shop) in Rivenhall.

4.5 The Site Liaison Group will continue to regularly convene up to and beyond the submission of the DCO application.

4.6 In addition to utilising the Site Liaison Group for non-statutory engagement, Indaver will also engage directly with the relevant local authorities, PINS and other statutory and non-statutory bodies. This will involve conveying the plans for the Proposed Development to these stakeholders and what the likely environmental effects of the Proposed Development will be, such that they can help inform the proposals as they evolve, plus any mitigation required to offset potentially adverse impacts.

4.7 Indaver has also consulted Essex County Council and Braintree District Council on the preparation of this SoCC, both informally and as part of its duty to do so as set out at s47(2) of the Planning Act 2008.

- 4.8 Finally, any ‘hard to reach’ groups that are identified through discussion with the Site Liaison Group and with the relevant local authorities will be contacted to understand how they can be best accommodated within the Stage 2 (statutory) consultation.

## Stage Two – Statutory consultation

- 4.9 The Stage Two consultation will constitute the statutory consultation with the local community on the Proposed Development. This consultation will inform the local community of the proposals and set out the various ways in which feedback can be provided.

### *Who will be consulted?*

- 4.10 Indaver is keen to hear the views of those living, working, or otherwise using the local area and who are the focus of the community consultation exercise, along with statutory consultees. This is in addition to the statutory consultation that Indaver will carry out with the relevant local authorities, those with an interest in the land, and statutory authorities as prescribed in s42–44 of Planning Act 2008 and Schedule 1 of The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009, which will happen at the same time.
- 4.11 Individuals, businesses and other organisations in the immediate area will receive consultation letters directly to their addresses to inform them of where they can access the consultation material and how they can provide feedback (either virtually or in person), and the timeframe in which feedback can be received. To determine the ‘immediate area’, we have used a 5.5km radius boundary from the centre of the IWMF to ensure that we are prioritising those most likely to experience any effects of the Proposed Development. We have termed this the ‘Local Community Consultation Zone’. The extent of this boundary is demonstrated in **Figure 1** below. This radius was chosen as it includes the key local villages that have previously been consulted on matters regarding the IWMF, whilst being appropriate to the scale and nature of the Proposed Development and where its effects might be experienced. A 5km boundary was initially proposed to the Site Liaison Group, whose feedback was that it should be extended to include Feering as this is one of the larger local villages, but that otherwise it would be sufficient. The boundary has since been increased to 5.5km to achieve this. Any significant effects arising from the Proposed Development will be limited to this area, except for the likely positive effects on climate change, which will have a global impact.
- 4.12 Indaver will do the same for the elected representatives of any parish, district, or county council or member of parliament’s constituency that fall within (wholly or partly) the Local Community Consultation Zone.



**Figure 1 – Local Community Consultation Zone**

4.13 Consultation will not be limited to this zone. Indaver will publish notices in a local newspaper for two consecutive weeks, plus a notice in one national newspaper and the London Gazette near the start of the consultation period. These notices will provide broadly the same information as the consultation letter – setting out where information can be accessed, the date(s) and time(s) of the community drop in event(s), how feedback on the Proposed Development can be given and the deadline for doing so.

4.14 Indaver will also take more general measures to advertise the consultation via notices on its website, leaflets at its on-site information hub building, and on its online and/or social media profile(s).

*How will information be made available?*

4.15 The primary way in which information relating to the Proposed Development will be made available will be online at [www.rivenhall-iwmf.co.uk](http://www.rivenhall-iwmf.co.uk) from where it will be possible to view and/or

download the key documentation relating to the application consultation. The information that will be available will include:

- This Statement of Community Consultation;
- Instructions on how to provide feedback and the deadline for doing so;
- A Site boundary plan;
- Preliminary Environmental Information Report ('PEIR') and non-technical summary; and
- Section 48 Notice of Consultation.

4.16 The PEIR will include sufficient environmental information to enable consultees to develop an informed view of the likely significant environmental effects of the Proposed Development. It will include a non-technical summary to ensure that the information is easily understandable and comprehensible to a broad range of consultees.

4.17 In addition to the information being made available on the website, hard copies of the consultation documents will be available to view at the locations set out in **Table 1**.

**Table 1 – Locations where hard copies of the consultation material will be available**

Location	Address
Braintree Library	5 Fairfield Rd, Braintree CM7 3YL
Silver End Library	Silver End Library, Silver End Village Hall, Broadway, CM8 3RQ
Kelvedon Library	Aylett's Foundation School, Maldon Road, Kelvedon, CO5 9BA
Coggeshall Library	Friends Meeting House, 29 Stoneham Street, Coggeshall, Colchester, CO6 1UH
Witham Library	18 Newland Street, Witham, CM8 2AQ
Rivenhall IWMF*	Information Hub building, Woodhouse Farm, Woodhouse Lane, Kelvedon, CO5 9DF

\*By appointment only using the contact details provided below.

Note: The Oak Store was contacted about holding hard copies of the consultation material, but declined to do so.

4.18 Indaver have sought to identify venues that are relatively proximate to the Site and are accessible to all. If anyone is unable to access any of these locations, or unable to access the information via the website, Indaver will work with them to ensure that consultation material is available in another way.

4.19 Indaver will also hold events where information boards will be displayed and hard copies of the consultation material made available. Members of the public will be free to drop-in to these events to ask questions of members of the project team in attendance, and provide feedback via the form that will be available. The event(s) will likely be held over at least two days and will include 1 full day/evening of a weekday (e.g., 10:00 – 20:00), plus 1 morning of a weekend (09:00 – 12:00) to ensure that as broad a scope of requirements can be accommodated as possible (with regard to things like work and childcare commitments). The events will be held at (at least) one of the following locations, depending on availability:

**Table 2 - Potential community event venues**

Location	Address
Bradwell	Bradwell Village Hall, Church Road, Bradwell, Braintree CM77 8EP
Silver End	Silver End Village Hall and Community Hub, Broadway, CM8 3RQ
Rivenhall	Rivenhall Village Hall, 54 Church Rd, Rivenhall, Witham CM8 3PH
Kelvedon	Kelvedon Hall (The Institute), 78 High St, Kelvedon, Colchester CO5 9AA
Coggeshall Village Hall	23 Stonehame Street, Coggeshall, Colchester, CO6 1UH

4.20 These venues have been identified due to their proximity to the Site and because they are accessible. Indaver will seek to hold the event(s) at the most convenient locations within the Local Community Consultation Zone for local residents, subject to venue availability and accessibility.

4.21 In addition to hosting the public event(s), Indaver will consider hosting a consultation webinar, in which members of the team can answer questions from individuals or groups that are unable to attend the public event(s) in person. Indaver would request that any specific questions from the individual(s) or group(s) are provided in advance of the meeting so that the relevant technical expertise can be made available.

*How can feedback be given?*

4.22 We welcome feedback on the Proposed Development. Consultees will be able to provide feedback and discuss the proposals in a number of ways:

- By filling in the feedback form and submitting comments via the Indaver Rivenhall website;
- By visiting the Rivenhall IWMF Information Hub at an appointed time and filling in a feedback form;
- By submitting comments directly via email to [info@rivenhall-iwmf.co.uk](mailto:info@rivenhall-iwmf.co.uk) or via post to Woodhouse Farm, Woodhouse Lane, Kelvedon, Essex, CO5 9DF;
- By attending an in-person event at the appointed time and venue and by filling out the feedback form provided; or
- By requesting an MS Teams call with a representative of Indaver to provide an overview of the proposals and the information prepared in support of the consultation. Consultees will be required to provide the set of questions they would like to ask in advance of the meeting, so that Indaver can ensure the relevant technical specialists can be available to help. Unfortunately, it will not be possible for individuals to request a meeting – only recognised groups, bodies, organisations or businesses will be able to do so.

4.23 It should be noted that only written feedback (whether submitted via the Indaver Rivenhall webpage, to our email address, or through the feedback forms provided at consultation events) will be reported and formally taken into account by Indaver. Feedback provided verbally at consultation will be taken into consideration by the team but will not form part of the formal

feedback that is reported in the Consultation Statement that will be submitted with the DCO application.

#### *When will the consultation happen?*

- 4.24 The Stage Two community consultation will be held over a period of 8 weeks. Consultees will have until 23:59:59 on the final day of the consultation period to provide feedback via the methods set out above.
- 4.25 The public event(s) will be scheduled to happen during the consultation process, subject to venue availability.
- 4.26 The consultation newsletter will be issued to addresses in the Local Community Consultation Zone to coincide with the start of the consultation period. The notices in the local newspaper will run for 2 weeks from the start of the consultation period; and a notice in a national newspaper and the London Gazette 1 week to coincide with the start of the consultation period.

#### **Privacy**

- 4.27 The collection of personal data will be undertaken in accordance with the terms of our Privacy Notice which can be viewed at the following link: <https://www.rivenhall-iwmf.co.uk/privacy-policy/>. By completing a feedback form, personal data will be collected by Indaver and its consultants for use in connection with the consultation process and subsequent planning applications related to the Rivenhall IWMF. Responses may be published (in whole or in part) as part of our consultation programme (including any personal details if included in the response). We will not otherwise publish personal details or publicly attribute a response to an identified individual. Responses could be made available (with personal details) in due course to the relevant planning or local authority or government body so they take it into account. Although not directly within our control, we will request that personal details are not made publicly available by them and in any event they will be required to comply with their legal obligations under applicable privacy laws including the European Union's General Data Protection Regulations 2016/679 ("GDPR"), and local laws which implement it in the United Kingdom.

## 5 Next steps

---

- 5.1 Feedback from the local community will be collated and analysed, and subsequently considered during the preparation of the DCO application. This feedback will be detailed in a Consultation Report that will be submitted with the application, alongside the feedback received through statutory consultation with the relevant local authorities, those with an interest in the land, and relevant statutory consultees.
- 5.2 Indaver are keen to ensure that feedback from the local community is properly considered and helps shape the eventual DCO application. Indaver must, however, also take into account the views of local authorities and other statutory consultees, as well as considering what is relevant, and technically and practically achievable for this development.
- 5.3 When the DCO application has been accepted for examination by PINS, Indaver will publicise this and notify the prescribed parties and those with land interests as required by section 56 of the Planning Act 2008.
- 5.4 PINS will appoint an Examining Authority to carry out the examination of the application during what is known as the 'pre-examination' stage. This is simply an inspector or panel of inspectors appointed to conduct the examination of the application. The Examining Authority will hold a Preliminary Meeting and will ask questions about the application and may hold hearings. An examination timetable will be published setting out the key dates for the examination including for any hearings. Notices of the Preliminary Meeting and any hearings will be published in advance.



## 6 Contact details

---

6.1 The local community can contact Indaver in the following ways:

- Postal address: Woodhouse Farm, Woodhouse Lane, Kelvedon, CO5 9DF, Essex
- Telephone: 01279 311 440
- Email: [info@rivenhall-iwmf.co.uk](mailto:info@rivenhall-iwmf.co.uk)
- [www.rivenhall-iwmf.co.uk](http://www.rivenhall-iwmf.co.uk)

6.2 For more information about the DCO process for consenting proposed major infrastructure projects visit the PINS website: <http://infrastructure.planninginspectorate.gov.uk> or call: 0303 4445000.

6.3 A video explaining the DCO process is also available online at: <http://infrastructure.planninginspectorate.gov.uk/application-process/the-process/>

# References

---

1. *General Data Protection Regulations 2016/679*
2. *The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009*
3. *The Infrastructure Planning (Environmental Impact Assessment) Regulations 2017*
4. *National Policy Statement for Renewable Energy Infrastructure (EN-3)*
5. *Overarching National Policy Statement for Energy (EN-1)*
6. *Planning Act 2008 (as amended)*
7. *Town and Country Planning Act 1990 (as amended)*
8. *The Waste (England and Wales) Regulations 2011*



**INDAVER**

The logo for INDAVER features the word "INDAVER" in a bold, grey, sans-serif font. Above the letters 'I' and 'V' are small green squares. Below the letters 'I', 'N', 'D', and 'A' are small black squares, with the 'A' having a larger square below it. The letters 'V', 'E', and 'R' do not have squares below them.